




# INFINITY HOME LIFT - TRACTION



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1470x1450	300	2500	80
1200x1000	800	1470x1480	300	2500	80
1400x1100	900	1670x1580	400	2500	80



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1520x1450	300	2500	120
1200x1000	800	1520x1480	300	2500	120
1400x1100	900	1720x1580	400	2500	120




TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1600x1540	300	2600	120
1200x1000	800	1600x1540	300	2600	120
1400x1100	900	1800x1760	400	2600	120


These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.




# INFINITY HOME LIFT - TRACTION



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1500x1450	300	2500	80
1200x1000	800	1500x1480	300	2500	80
1400x1100	900	1700x1580	400	2500	80



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1600x1450	300	2500	120
1200x1000	800	1600x1480	300	2500	120
1400x1100	900	1800x1580	400	2500	120




TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1760x1540	300	2600	120
1200x1000	800	1760x1540	300	2600	120
1400x1100	900	1980x1760	400	2600	120


These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.




# INFINITY HOME LIFT - TRACTION



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1470x1400	300	2500	80
1200x1200	800	1470x1680	400	2500	80
1400x1100	900	1670x1580	400	2500	80



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1520x1450	300	2500	120
1200x1200	800	1520x1760	400	2500	120
1400x1100	900	1720x1660	400	2500	120



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1650x1600	300	2600	120
1200x1200	800	1650x1810	400	2600	120
1400x1100	900	1870x1870	400	2600	120

*These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.*






INFINITY LIFTS




ITALIAN STYLE


# INFINITY HOME LIFT - TRACTION



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1390x1290	300	2500	80
1200x1000	800	1390x1400	300	2500	80
1400x1100	900	1590x1500	400	2500	80



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1440x1290	300	2500	120
1200x1000	800	1440x1400	300	2500	120
1400x1100	900	1640x1500	400	2500	120




TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1520x1410	300	2600	120
1200x1000	800	1520x1410	300	2600	120
1400x1100	900	1720x1600	400	2600	120


These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.




# INFINITY HOME LIFT - TRACTION



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1400x1290	300	2500	80
1200x1000	800	1400x1400	300	2500	80
1400x1100	900	1600x1500	400	2500	80



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1500x1290	300	2500	120
1200x1000	800	1500x1400	300	2500	120
1400x1100	900	1700x1500	400	2500	120




TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1660x1410	300	2600	120
1200x1000	800	1660x1410	300	2600	120
1400x1100	900	1860x1600	400	2600	120


These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.




# INFINITY HOME LIFT - TRACTION



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1390x1270	300	2500	80
1200x1200	800	1390x1580	400	2500	80
1400x1100	900	1590x1480	400	2500	80



TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1440x1320	300	2500	120
1200x1200	800	1440x1630	400	2500	120
1400x1100	900	1640x1550	400	2500	120





TKxBK	BT	TSxBS	GQ (kg)	SF	SE
1200x800	800	1550x1500	300	2600	120
1200x1200	800	1550x1710	400	2600	120
1400x1100	900	1740x1740	400	2600	120

*These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.*



# INFINITY HOME LIFT - TRACTION



H (kg)	Z (kg)	F <sub>x</sub> (kg)	F <sub>y</sub> (kg)
2000	2600	400	150

Purely approximate maximum values.

*These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.*



# INFINITY HOME LIFT - TRACTION

## GENERAL NOTES


---

Travel MAX } → 20 m

---

GQ = Carrying capacity depends on liftcar finishing / weight

---



Depending on the size, the solution with 3 entrances is also possible with automatic doors

---

*These technical specifications are purely approximate. The manufacturer reserves the right to make changes at any time it deems appropriate.*

